

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/637,211	08/08/2003	Peter J. Nashif	10541-1810	4072	
	29074 7590 03/07/2007 VISTEON			EXAMINER	
C/O BRINKS HOFER GILSON & LIONE PO BOX 10395 CHICAGO, IL 60610			SUTHERS, DOUGLAS JOHN		
			ART UNIT	PAPER NUMBER	
,			2615		
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVER	Y MODE	
3 MOI	NTHS	03/07/2007	PAI	PER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

T)

	Application No.	Applicant(s)				
	10/637,211	NASHIF ET AL.				
Office Action Summary	Examiner	Art Unit				
	Douglas Suthers	2615				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status		·				
	1) Responsive to communication(s) filed on <u>08 August 2003</u> .					
,_	,—					
·	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) 1-23 is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6) Claim(s) <u>1-23</u> is/are rejected.						
7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	r election requirement.					
o) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>08 August 2003</u> is/are:						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
TI) The bath of declaration is objected to by the Examiner. Note the attached Office Action of form F 10-102.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(c)						
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)						
3) X Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date <u>08/08/03, 02/28/05</u> .	6) Other:	atent Application				
LS Patent and Trademark Office						

Application/Control Number: 10/637,211

Art Unit: 2615

DETAILED ACTION

1. The Art Unit location of your application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Art Unit 2615.

Specification

2. The abstract of the disclosure is objected to because it exceeds 150 words.

Correction is required. See MPEP § 608.01(b).

3. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/637,211 Page 3

Art Unit: 2615

5. Claims 1-4, 6-9, 18-20, and 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yasuhara (US 2003/0053638 A1) in view of Wang (US 2004/0247138 A1).

6. Regarding claim 1, Yasuhara discloses an automotive multimedia entertainment system for an automotive vehicle having a plurality of audio output devices, the system comprising:

an audio system adapted to communicate with the plurality of audio output devices, the audio system having a first (front audio source) and second output channel (rear audio source);

a headphone including controls (paragraph [0038]);

a wireless communication link providing audio signals to the headphone (from 3 to 13);

a wireless communication link for providing a set of control signals to the audio system (from 14 to 3);

a set of front speakers (10) and a set of rear speakers (11), said sets of front and rear speakers being in communication with the audio system, the audio system having a switch with first and second modes, in the first mode the switch connecting the set of rear speakers and the headphone to the first output channel (paragraph [0121]), in the second mode the switch deactivating the set of rear speakers and connecting the headphone to the second output channel (paragraph [0122]).

Yasuhara does not expressly disclose the controls being on the headphone.

Art Unit: 2615

Wang discloses a headphone including controls (figure 1 item 221), the controls adapted to configure an audio system; and

a two way wireless communication link (figure 2) providing audio signals to the headphone and providing a set of control signals to the audio system.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to use the headphone and controls of Wang in the system of Yasuhara. The motivation for doing so would have been have fewer items in the vehicle that could get misplaced, broken, or take up space. Therefore, it would have been obvious to combine Wang with Yasuhara to obtain the invention as specified in claim 1.

- 7. Regarding claim 2, Yasuhara discloses wherein the first mode of the switch the controls can configure the first output channel (figure 8 item 72, can stop and play).
- 8. Regarding claim 3, Yasuhara discloses wherein the second mode of the switch the controls can configure the second output channel (figure 8 item 72, can stop and play).
- 9. Regarding claim 4, Wang discloses wherein the controls are located on the headphone (figure 1).
- 10. Regarding claim 6, Wang discloses wherein the headphone includes a transceiver (figure 2).

11. Regarding claim 7, Wang discloses wherein the transceiver is an infrared transceiver (paragraph [0040]).

- 12. Regarding claim 8, Wang discloses wherein the transceiver is a radio frequency transceiver (paragraph [0039]).
- 13. Regarding claim 9, Wang discloses further comprising at least one additional headphone including controls adapted to configure the audio system, each additional headphone adapted to communicate the set of control signals over the two-way communication link such that the set of control signals from the headphone are interchangeable with the set of control signals from the at least one additional headphone (paragraph [0047]).
- 14. Regarding claim 18, Yasuhara discloses a method for controlling an automotive multimedia entertainment system comprising the steps:

transmitting an audio signal (figure 1) from a audio system to a set of front speakers (10) and a set of rear speakers (11);

transmitting a control signal over a wireless communication link to the audio system (from 14 to 3);

deactivating the rear set of speakers (paragraph [0122]); and

Application/Control Number: 10/637,211

Art Unit: 2615

transmitting an audio signal over a wireless communication link to the headphone (paragraph [0122]).

Yasuhara does not expressly disclose the controls being on the headphone.

Wang discloses transmitting a control signal from a headphone over a wireless communication link to the audio system(figure 1 item 221).

At the time of the invention it would have been obvious to a person of ordinary skill in the art to use the headphone and controls of Wang in the system of Yasuhara. The motivation for doing so would have been have fewer items in the vehicle that could get misplaced, broken, or take up space. Therefore, it would have been obvious to combine Wang with Yasuhara to obtain the invention as specified in claim 18.

- 15. Regarding claim 19, Yasuhara discloses wherein the steps of deactivating of the rear set of speakers and transmitting an audio signal to the headphone occur simultaneously (paragraph [0122]).
- 16. Regarding claim 20, Wang discloses further comprising the step of generating a control signal in response to a control mounted to the headphone (figure 1).
- 17. Regarding claim 22, Wang discloses wherein the wireless communication link is an infrared wireless communication link (paragraph [0040]).

Application/Control Number: 10/637,211 Page 7

Art Unit: 2615

18. Regarding claim 23, Wang discloses wherein the wireless communication link is a radio frequency wireless communication link (paragraph [0039]).

- 19. Claims 5, 10-17, and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yasuhara (US 2003/0053638 A1) in view of Wang (US 2004/0247138 A1), and Huemann et al. (US 5661811).
- 20. Regarding claim 5, Wang does not expressly disclose wherein the controls comprise a power control that changes modes.

Huemann discloses wherein headphone circuitry includes a power on control (figure 2 item 60) and the circuit is adapted to automatically change the audio system from speaker mode to headphone mode when the power on control is activated.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to the power switching of Huemann in the system of Yasuhara and Wang. The motivation for doing so would have been only have power used by the headphones when in use, thus minimizing power consumption and wasting batteries. Therefore, it would have been obvious to combine Huemann with Yasuhara and Wang to obtain the invention as specified in claim 5.

21. Regarding claim 10, Yasuhara discloses an automotive multimedia entertainment system for an automotive vehicle having a plurality of audio output devices, the system comprising:

Application/Control Number: 10/637,211

Art Unit: 2615

an audio system adapted to communicate with the plurality of audio output devices, the audio system having a first and second output channel (figure 9, channels of 91 and 92);

a headphone including controls (paragraph [0038]);

a wireless communication link for providing audio signals to the headphone (from 3 to 13);

a wireless communication link for providing a set of control signals to the audio system (from 14 to 3);

a set of front speakers (10) and a set of rear speakers(11), the sets of front and rear speakers being in communication with the audio system, the audio system having a switch with first and second modes, in the first mode the switch connecting the set of rear speakers and the headphone to the first output channel (paragraph [0121]), in the second mode the switch deactivating the set of rear speakers and connecting the headphone to the second output channel (paragraph [0121]).

Yasuhara does not expressly disclose the controls being on the headphone.

Wang discloses a headphone including controls (figure 1 item 221), the controls adapted to configure an audio system; and

a two way wireless communication link (figure 2) providing audio signals to the headphone and providing a set of control signals to the audio system.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to use the headphone and controls of Wang in the system of Yasuhara. The

motivation for doing so would have been have fewer items in the vehicle that could get misplaced, broken, or take up space.

Wang does not expressly disclose wherein the controls comprise a power control that changes modes.

Huemann discloses wherein headphone circuitry includes a power on control (figure 2 item 60) and the circuit is adapted to automatically change the audio system from speaker mode to headphone mode when the power on control is activated.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to the power switching of Huemann in the system of Yasuhara and Wang. The motivation for doing so would have been only have power used by the headphones when in use, thus minimizing power consumption and wasting batteries. Therefore, it would have been obvious to combine Huemann with Yasuhara and Wang to obtain the invention as specified in claim 10.

- 22. Regarding claim 11, Yasuhara discloses wherein the first mode of the switch controls can configure the first output channel (figure 8 item 72, can stop and play).
- 23. Regarding claim 12, Yasuhara discloses wherein the second mode of the switch the controls can configure the second output channel (figure 8 item 72, can stop and play).

Art Unit: 2615

24. Regarding claim 13, Wang discloses wherein the controls adapted to configure the audio system are located on the headphone (figure 1).

- 25. Regarding claim 14, Wang discloses wherein the headphone includes a transceiver (figure 2).
- 26. Regarding claim 15, Wang discloses wherein the transceiver is an infrared transceiver (paragraph [0040]).
- 27. Regarding claim 16, Wang discloses wherein the transceiver is a radio frequency transceiver (paragraph [0039]).
- 28. Regarding claim 17, Wang discloses further comprising at least one additional headphone including controls adapted to configure the audio system, each additional headphone adapted to communicate the set of control signals over the two-way communication link such that the set of control signals from the headphone are interchangeable with the set of control signals from the at least one additional headphone (paragraph [0047]).
- 29. Regarding claim 21, Wang does not expressly disclose wherein the controls comprise a power control that changes modes.

Huemann discloses wherein the step of deactivating the rear set of speakers and transmitting an audio signal to the headphones occurs automatically as the headphones are powered on. (figure 2 item 60).

At the time of the invention it would have been obvious to a person of ordinary skill in the art to the power switching of Huemann in the system of Yasuhara and Wang. The motivation for doing so would have been only have power used by the headphones when in use, thus minimizing power consumption and wasting batteries. Therefore, it would have been obvious to combine Huemann with Yasuhara and Wang to obtain the invention as specified in claim 21.

Conclusion

30. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas Suthers whose telephone number is (571)272-0563. The examiner can normally be reached on 8am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vivian Chin can be reached on (571)272-7848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/637,211 Page 12

Art Unit: 2615

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

djs 🙀

SUPERVISOR OF PATLUT EXAMINER
TECHNOLOGY CELLER 2300